



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.02.2022

Version number 3

Revision: 21.05.2021

### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### - 1.1 Product identifier

- Trade name: **Köracur TH 650 - Komp.B**

- Article number: R045018-00

- CAS Number:

9016-87-9

- EC number:

618-498-9

- Index number:

615-005-00-9

#### - 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- Application of the substance / the mixture Hardening agent/ Curing agent

#### - 1.3 Details of the supplier of the safety data sheet

##### - Manufacturer/Supplier:

Kömmerling Chemische Fabrik GmbH

Zweibrücker Straße 200

D-66954 Pirmasens

Tel.: +49 (0)6331/56-2000

www.koe-chemie.de

##### - Informing department:

Abteilung: EU Regulatory Engineering Adhesives

(department: EU Regulatory Engineering Adhesives)

E-Mail: msds.koe@hbfuller.com

##### - 1.4 Emergency telephone number:

In case of poisoning:

GBK-EMTEL International

Tel.(24h): +49(0)6132/84463 (all languages)

In case of transport accidents:

Tel.(24h): (001) 352 323 3500 (Infotrac - Contract ID: 90373 / GBK)

### SECTION 2: Hazards identification

#### - 2.1 Classification of the substance or mixture

##### - Classification according to Regulation (EC) No 1272/2008

Acute Tox. 4 H332 Harmful if inhaled.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Carc. 2 H351 Suspected of causing cancer.

STOT SE 3 H335 May cause respiratory irritation.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

(Contd. on page 2)



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.02.2022

Version number 3

Revision: 21.05.2021

**Trade name: Köracur TH 650 - Komp.B**

(Contd. of page 1)

- **Additional information:** The classification resulted from the calculation method of CLP-regulation.

**- 2.2 Label elements****- Labelling according to Regulation (EC) No 1272/2008**

The substance is classified and labelled according to the CLP regulation.

**- Hazard pictograms**

GHS07 GHS08

**- Signal word** Danger**- Hazard-determining components of labelling:**

methylenediphenyl diisocyanate, isomeres and homologues

**- Hazard statements**

H332 Harmful if inhaled.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 May cause an allergic skin reaction.

H351 Suspected of causing cancer.

H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

**- Precautionary statements**

P260 Do not breathe mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P314 Get medical advice/attention if you feel unwell.

**- Additional information:**

EUH204 Contains isocyanates. May produce an allergic reaction.

As from 24 August 2023 adequate training is required before industrial or professional use.

**- 2.3 Other hazards****- Results of PBT and vPvB assessment****- PBT:** Not applicable.**- vPvB:** Not applicable.**SECTION 3: Composition/information on ingredients****- 3.1 Chemical characterisation: Substances****- CAS No. Designation:**

CAS: 9016-87-9 methylenediphenyl diisocyanate, isomeres and homologues

**- Identification number(s):****- EC number:** 618-498-9**- Index number:** 615-005-00-9

(Contd. on page 3)



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 10.02.2022

Version number 3

Revision: 21.05.2021

**Trade name: Köracur TH 650 - Komp.B**

- SVHC Doesn't contain SVHC > 0,1%.

(Contd. of page 2)

### SECTION 4: First aid measures

#### - 4.1 Description of first aid measures

##### - After inhalation

In case of unconsciousness bring patient into a stable side position for transport.

Supply fresh air; consult doctor in case of complaints.

Even minimal concentrations of isocyanate can lead to a reaction in sensitised people. Symptoms that may occur include the following: irritation of the eyes, nose, throat and lungs, possibly together with a dry throat, a feeling of chest tightness and breathing difficulties. The symptoms may only arise several hours after exposure.

##### - After skin contact

Treat affected skin with cotton wool or cellulose. Then wash and rinse thoroughly with water and a mild cleaning agent.

The skin is irritated. Sensitisation may occur through skin contact. Animal research has shown that skin contact with substances known to have a sensitising effect on airways, such as diisocyanate, can cause airways to be sensitised. Therefore, when carrying out activities where (un)intentional skin contact with isocyanates may occur (e.g. during maintenance work, or when opening a barrel), wear long-sleeved protective clothing and gloves.

- **After eye contact** Rinse opened eye for several minutes under running water. Then consult doctor.

- **After swallowing** Do not induce vomiting; call for medical help immediately.

#### - 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

#### - 4.3 Indication of any immediate medical attention and special treatment needed

In instances of existing sensitisation towards isocyanates, a doctor should be consulted with regards to work-related contact with other sensitising substances, or substances which irritate the airway. Treatment for exposure should be geared towards monitoring symptoms and the patient's clinical condition. It must be ensured that the patient has sufficient ventilation and oxygen supply. Isocyanates can cause sensitisation of the airways, or asthma-like symptoms (bronchospasms). Delayed breathing symptoms, including lung oedema, may occur. People who have shown signs of breathlessness after considerable exposure should remain under observation for 24-48 hours.

### SECTION 5: Firefighting measures

#### - 5.1 Extinguishing media

##### - Suitable extinguishing agents

Water spray

Alcohol-resistant foam

Fire-extinguishing powder

Carbon dioxide

- **For safety reasons unsuitable extinguishing agents** Water with full jet.

#### - 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

#### - 5.3 Advice for firefighters

- **Protective equipment:** Wear self-contained respiratory protective device.

GB

(Contd. on page 4)



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.02.2022

Version number 3

Revision: 21.05.2021

**Trade name: Köracur TH 650 - Komp.B**

(Contd. of page 3)

### SECTION 6: Accidental release measures

**- 6.1 Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation

Use respiratory protective device against the effects of fumes/dust/aerosol.

**- 6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.

**- 6.3 Methods and material for containment and cleaning up:** Pick up mechanically.

**- 6.4 Reference to other sections**

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### SECTION 7: Handling and storage

**- 7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.

**- Information about protection against explosions and fires:** No special measures required.

**- 7.2 Conditions for safe storage, including any incompatibilities**

**- Storage**

**- Requirements to be met by storerooms and receptacles:** Prevent any seepage into the ground.

**- Information about storage in one common storage facility:** Store away from foodstuffs.

**- Further information about storage conditions:**

Protect from frost.

Keep receptacle tightly sealed.

Protect from heat and direct sunlight.

Store receptacle in a well ventilated area.

Store in dry conditions.

**- Storage class (according german VCI-concept):** 10

**- 7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

**- 8.1 Control parameters**

**- Additional information about design of technical systems:** No further data; see item 7.

**- Components with limit values that require monitoring at the workplace:**

**CAS: 9016-87-9 methylenediphenyl diisocyanate, isomeres and homologues**

WEL (Great Britain)	Short-term value: 0.07 mg/m <sup>3</sup>
	Long-term value: 0.02 mg/m <sup>3</sup>
	Sen; as -NCO

**- Additional information:**

The homogenous mixing of this product is safeguarded by continual physical testing. Raw materials which formerly had dust-like properties are completely incorporated into the liquid / paste-like mass. Subsequently, possible TLVs for solid substances are not given, as there is no more danger of inhaling these substances (when dealing with this mixture)!

(Contd. on page 5)



## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 10.02.2022

Version number 3

Revision: 21.05.2021

**Trade name: Köracur TH 650 - Komp.B**

(Contd. of page 4)

#### - 8.2 Exposure controls

##### - Personal protective equipment

##### - General protective and hygienic measures

The usual precautionary measures should be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of the work.

Immediately remove all soiled and contaminated clothing

##### - Breathing equipment:

Not required with good ventilation and/or adequate extractor facilities

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Short term filter device:

A2 (DIN EN 14387 / DIN EN 141)

##### - Protection of hands (DIN EN 420):

Direct contact with the chemical preparation must be avoided by organizational measures. Apply skin protectant before working with gloves to avoid skin swellings and use a skin cleansing and skincare product after the work.

Compliance with the stated penetration time (starts with the first product contact) must be ensured!

The gloves need to be disposed of after the penetration time and new gloves used!

##### - For the permanent contact gloves made of the following materials are suitable:

If longer exposure to the chemical preparation is necessary, a sturdy overglove against mechanical strain is recommended in combination with the "Barrier 02-100" underglove from Ansell (penetration time 480 min).

##### - For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Nitrile rubber (0.8 mm - penetration time 15 min)

##### - As protection from splashes gloves made of the following materials are suitable:

Recommended for protection from splashes: disposable nitrile gloves (minimum thickness 0.12 mm) with long cuffs. After contact with the chemical preparation, take the disposable nitrile glove off immediately and put on a new disposable nitrile glove.

##### - Eye protection: Safety glasses

## SECTION 9: Physical and chemical properties

### - 9.1 Information on basic physical and chemical properties

#### - General Information

##### - Appearance:

Form: Fluid

Colour: Brown

- Odour: Characteristic

- Odour threshold: Not determined.

#### - Change in condition

Initial boiling point and boiling range: Not determined

- Flash point: > 200 °C

(Contd. on page 6)



## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 10.02.2022

Version number 3

Revision: 21.05.2021

Trade name: **Köracur TH 650 - Komp.B**

(Contd. of page 5)

- Ignition temperature:	> 400 °C
- Explosion limits:	
Lower:	Not determined
Upper:	Not determined
- Vapour pressure at 25 °C:	< 0.0001 hPa
- Specific gravity at 20 °C:	1.23 g/cm <sup>3</sup>
- Vapour density	Not determined.
- Evaporation rate	Not determined.
- Solubility in / Miscibility with Water:	Insoluble reacts with water
- Partition coefficient: n-octanol/water:	Not determined.
- Viscosity:	
dynamic at 20 °C:	250 mPas (Brookfield)
VOC (EU):	0.0 g/l
VOC (EU):	0.00 %
VOC (CH):	0.00 %
- 9.2 Other information	No further relevant information available.

### SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions**  
Reacts with alcohols, amines, aqueous acids and alkalis.  
Reacts with water forming carbon dioxide. In closed containers there is a danger of bursting, due to build up of pressure.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:**  
In case of fire, the following substance(s) may occur:  
Nitrogen oxides
- **Additional information:** Open and release pressure carefully with pressurised containers

### SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity**  
Harmful if inhaled.

(Contd. on page 7)



## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 10.02.2022

Version number 3

Revision: 21.05.2021

**Trade name: Köracur TH 650 - Komp.B**

(Contd. of page 6)

**- LD/LC50 values that are relevant for classification:**

**ATE (Acute Toxicity Estimates)**

Inhalative	LC50/4 h	1.5 mg/l (rat)
------------	----------	----------------

**CAS: 9016-87-9 methylenediphenyl diisocyanate, isomeres and homologues**

Inhalative	LC50/4 h	1.5 mg/l (rat)
------------	----------	----------------

**- Primary irritant effect:**

**- Skin corrosion/irritation**

Causes skin irritation.

**- Serious eye damage/irritation**

Causes serious eye irritation.

**- Respiratory or skin sensitisation**

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

**- Additional toxicological information:**

**- CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**

**- Germ cell mutagenicity** Based on available data, the classification criteria are not met.

**- Carcinogenicity**

Suspected of causing cancer.

**- Reproductive toxicity** Based on available data, the classification criteria are not met.

**- STOT-single exposure**

May cause respiratory irritation.

**- STOT-repeated exposure**

May cause damage to organs through prolonged or repeated exposure.

**- Aspiration hazard** Based on available data, the classification criteria are not met.

## SECTION 12: Ecological information

**- 12.1 Toxicity**

**- Aquatic toxicity:** No further relevant information available.

**- 12.2 Persistence and degradability** No further relevant information available.

**- 12.3 Bioaccumulative potential** No further relevant information available.

**- 12.4 Mobility in soil** No further relevant information available.

**- Additional ecological information:**

**- General notes:** Do not allow product to reach ground water, water course or sewage system.

**- 12.5 Results of PBT and vPvB assessment**

**- PBT:** Not applicable.

**- vPvB:** Not applicable.

**- 12.6 Other adverse effects** No further relevant information available.

## SECTION 13: Disposal considerations

**- 13.1 Waste treatment methods**

**- Recommendation** Disposal in accordance with official regulations

(Contd. on page 8)



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.02.2022

Version number 3

Revision: 21.05.2021

**Trade name: Köracur TH 650 - Komp.B**

(Contd. of page 7)

**- EWC-Code(s):**

To be treated as industrial waste: do not dispose of in or on soil, in watercourses or bodies, or through a sewage system. These EU refuse code numbers are recommendations for waste accruing through the use of adhesives and sealants. Any waste produced from organic solvents or other dangerous substances (according GHS) listed under item 3 of this safety datasheet is itself classified as dangerous (\*).

Waste accruing during application:

080409\* waste adhesives and sealants containing organic solvents or other dangerous substances  
080410 waste adhesives and sealants other than those mentioned in 080409

Waste accruing during cleaning:

08 04 11\* adhesive and sealant sludges containing organic solvents or other dangerous substances  
08 04 12 adhesive and sealant sludges other than those mentioned in 080411

Waste packaging:

15 01 01 paper and cardboard packaging  
15 01 02 plastic packaging  
15 01 04 metallic packaging  
15 01 10\* packaging containing residues of or contaminated by dangerous substances.

### SECTION 14: Transport information

- 14.1 UN-Number	
- ADR/RID/ADN, ADN, IMDG, IATA	Void
- 14.2 UN proper shipping name	
- ADR/RID/ADN, ADN, IMDG, IATA	Void
- 14.3 Transport hazard class(es)	
- ADR/RID/ADN, ADN, IMDG, IATA	
- Class	Void
- 14.4 Packing group	
- ADR/RID/ADN, IMDG, IATA	Void
- 14.5 Environmental hazards:	
- Marine pollutant:	No
- 14.6 Special precautions for user	Not applicable.
- 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
- Transport/Additional information:	Protect from moisture
- IATA	
- Remarks:	not restricted

(Contd. on page 9)





## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.02.2022

Version number 3

Revision: 21.05.2021

**Trade name: Köracur TH 650 - Komp.B**

(Contd. of page 8)

- UN "Model Regulation": Void

### SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **National regulations**
- **Information about limitation of use:**  
Employment restrictions concerning young persons must be observed.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

-----  
For commercial use only.

- **Department issuing SDS:**  
Abteilung: EU Regulatory Engineering Adhesives  
(department: EU Regulatory Engineering Adhesives)
- **Abbreviations and acronyms:**  
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)  
ICAO: International Civil Aviation Organisation  
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
VOCV: Lenkungsabgabe auf flüchtigen organischen Verbindungen, Schweiz (Swiss Ordinance on volatile organic compounds)  
VOC: Volatile Organic Compounds (USA, EU)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
SVHC: Substances of Very High Concern  
vPvB: very Persistent and very Bioaccumulative  
Acute Tox. 4: Acute toxicity – Category 4  
Skin Irrit. 2: Skin corrosion/irritation – Category 2  
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2  
Resp. Sens. 1: Respiratory sensitisation – Category 1  
Skin Sens. 1: Skin sensitisation – Category 1  
Carc. 2: Carcinogenicity – Category 2  
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3  
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2
- **\* Data compared to the previous version altered.**