

## SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

### Rakoll® LK 50

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	21.05.2022	100000018687	Date of first issue: 21.05.2022

---

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1 Product identifier

Product name : Rakoll® LK 50

##### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-  
stance/Mixture : Water based adhesive

Recommended restrictions  
on use : For industrial use only.

##### 1.3 Details of the supplier of the safety data sheet

Company : H.B. Fuller, Isar-Rakoll, S.A.

Address : Estrada Nacional 13  
PT-4486-851 Mindelo - Vila do Conde  
+351 229 288 200

E-mail address of person  
responsible for the SDS : EU-MSDS@hbfuller.com

##### 1.4 Emergency telephone number

Emergency telephone number : +44 1235 239 670 (24 hours)

National Poisons Information Centre (NPIC): 01 809 2566 (24 hours)

---

#### SECTION 2: Hazards identification

##### 2.1 Classification of the substance or mixture

###### Classification (REGULATION (EC) No 1272/2008)

Serious eye damage, Category 1

H318: Causes serious eye damage.

##### 2.2 Label elements

###### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



## SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

### Rakoll® LK 50

Version 1.0	Revision Date: 21.05.2022	SDS Number: 100000018687	Date of last issue: - Date of first issue: 21.05.2022
----------------	------------------------------	-----------------------------	--

Signal word : Danger

Hazard statements : H318 Causes serious eye damage.

Precautionary statements : **Prevention:**  
P280 Wear eye protection/ face protection.

**Response:**  
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

#### Hazardous components which must be listed on the label:

docusate sodium  
butyl glycollate

#### Additional Labelling

EUH208 Contains 5-Chloro-2-methyl-3(2H)isothiazolone mixt. with 2-Methyl-3(2H)isothiazolone. May produce an allergic reaction.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
ethane-1,2-diol	107-21-1 203-473-3 603-027-00-1 01-2119456816-28-0000	Acute Tox. 4; H302	>= 1 - < 10
2-(2-butoxyethoxy)ethyl acetate	124-17-4 204-685-9 01-2119475110-51-0000		>= 1 - < 2,5
docusate sodium	577-11-7 209-406-4	Skin Irrit. 2; H315 Eye Dam. 1; H318	>= 1 - < 2,5

## SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

### Rakoll® LK 50

Version 1.0      Revision Date: 21.05.2022      SDS Number: 100000018687      Date of last issue: -  
Date of first issue: 21.05.2022

	01-2119491296-29-0000	Aquatic Chronic 3; H412	
butyl glycollate	7397-62-8 230-991-7	Eye Dam. 1; H318	$\geq 1 - < 3$
5-Chloro-2-methyl-3(2H)isothiazolone mixt. with 2-Methyl-3(2H)isothiazolone	55965-84-9 611-341-5 613-167-00-5 01-2120764691-48-0000	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 2; H310 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071  M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100  specific concentration limit Skin Corr. 1C; H314 $\geq 0,6 \%$ Skin Irrit. 2; H315 $0,06 - < 0,6 \%$ Eye Irrit. 2; H319 $0,06 - < 0,6 \%$ Skin Sens. 1A; H317 $\geq 0,0015 \%$ Eye Dam. 1; H318 $\geq 0,6 \%$	$\geq 0,0002 - < 0,0015$

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- General advice : If on clothes, remove clothes.  
Show this safety data sheet to the doctor in attendance.
- If inhaled : Remove person to fresh air. If signs/symptoms continue, get medical attention.

## SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

### Rakoll® LK 50

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	21.05.2022	100000018687	Date of first issue: 21.05.2022

---

In case of unconsciousness bring patient into stable side position for transport.

In case of skin contact : Wash off immediately with plenty of water. If skin irritation persists, call a physician.

In case of eye contact : Flush eyes with water at least 15 minutes. Get medical attention if eye irritation develops or persists.

If swallowed : Do NOT induce vomiting. If conscious, drink plenty of water. If symptoms persist, call a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

None known.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No further relevant information available.

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Water mist  
Foam  
Dry powder  
Carbon dioxide (CO<sub>2</sub>)

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : No further relevant information available.

### 5.3 Advice for firefighters

Special protective equipment for firefighters : No special protective measures against fire required.

Further information : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

---

## SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

### Rakoll® LK 50

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	21.05.2022	100000018687	Date of first issue: 21.05.2022

---

Ensure adequate ventilation.

#### 6.2 Environmental precautions

Environmental precautions : If the product contaminates rivers and lakes or drains inform respective authorities.  
Dilute with much water.  
The product should not be allowed to enter drains, water courses or the soil.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Ensure adequate ventilation.  
Send for recovery or disposal in suitable containers.  
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Dispose of contaminated material as waste according to section 13.

#### 6.4 Reference to other sections

Refer to protective measures listed in sections 7 and 8., For disposal considerations see section 13.

---

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Advice on safe handling : Avoid formation of aerosol.  
Use only with adequate ventilation.  
Handle with care.  
Keep eye wash bottle available on working place.  
Keep away from children.  
Avoid release to the environment.

Advice on protection against fire and explosion : In the event of fire and/or explosion do not breathe fumes.  
Wear self-contained breathing apparatus and protective suit.  
Have fire extinguishing equipment ready in case of nearby fire.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep dark, cool and dry. Do not freeze.

Further information on storage conditions : Keep container tightly sealed.

#### 7.3 Specific end use(s)

Specific use(s) : No further relevant information available.

**SAFETY DATA SHEET**

according to Regulation (EC) No. 1907/2006

**Rakoll® LK 50**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	21.05.2022	100000018687	Date of first issue: 21.05.2022

**SECTION 8: Exposure controls/personal protection**
**8.1 Control parameters**
**Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
ethane-1,2-diol	107-21-1	STEL	40 ppm 104 mg/m <sup>3</sup>	2000/39/EC
	Further information: Identifies the possibility of significant uptake through the skin, Indicative			
		TWA	20 ppm 52 mg/m <sup>3</sup>	2000/39/EC
	Further information: Identifies the possibility of significant uptake through the skin, Indicative			
		OELV - 8 hrs (TWA)	20 ppm 52 mg/m <sup>3</sup>	IE OEL
	Further information: Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body			
		OELV - 15 min (STEL)	40 ppm 104 mg/m <sup>3</sup>	IE OEL
	Further information: Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body			
limestone	1317-65-3	OELV - 8 hrs (TWA) (Respirable dust)	4 mg/m <sup>3</sup>	IE OEL
		OELV - 8 hrs (TWA) (inhalable dust)	10 mg/m <sup>3</sup>	IE OEL

**Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:**

Substance name	End Use	Exposure routes	Potential health effects	Value
ethane-1,2-diol	Workers	Dermal	Long-term systemic effects	106 mg/kg
	Workers	Inhalation	Long-term local effects	35 mg/m <sup>3</sup>

**Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:**

Substance name	Environmental Compartment	Value
ethane-1,2-diol	Fresh water	10 mg/l
	Marine water	1 mg/l
	Fresh water sediment	20,9 mg/kg
	Sewage treatment plant	20,9 mg/l

## SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

### Rakoll® LK 50

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	21.05.2022	100000018687	Date of first issue: 21.05.2022

---

#### 8.2 Exposure controls

##### Engineering measures

Please take care on national and local requirements.

##### Personal protective equipment

- |                          |   |   |
|--------------------------|---|---|
| Eye protection           | : | Tightly fitting safety goggles  |
| Hand protection          | : |   |
| Material                 | : | Nitrile rubber  |
| Remarks                  | : | The glove material has to be impermeable and resistant to the product/the substance/the preparation. The exact break through time can be obtained from the protective glove producer and this has to be observed.   |
| Skin and body protection | : | Protective clothing   |
| Respiratory protection   | : | Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. In case of brief exposure or low pollution (exceeding of TLV) use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air. |
| Protective measures      | : | Keep away from food, drink and animal feedingstuffs. Instantly remove any soiled and impregnated garments. Wash hands before breaks and immediately after handling the product. Avoid contact with the eyes and skin. Store protective clothing separately.   |

---

#### SECTION 9: Physical and chemical properties

##### 9.1 Information on basic physical and chemical properties

- |                              |   |                   |
|------------------------------|---|-------------------|
| Physical state               | : | liquid            |
| Colour                       | : | white             |
| Odour                        | : | characteristic    |
| Odour Threshold              | : | is not determined |
| Melting point/freezing point | : | 0 °C              |
| Boiling point/boiling range  | : | 100 °C            |

## SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

### Rakoll® LK 50

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	21.05.2022	100000018687	Date of first issue: 21.05.2022

---

Flammability : Not classified as a flammability hazard

Upper explosion limit / Upper flammability limit : Upper flammability limit is not determined

Lower explosion limit / Lower flammability limit : Lower flammability limit is not determined

Flash point : not applicable

Auto-ignition temperature : not self-igniting

Decomposition temperature : not applicable

pH : 6,5

Viscosity  
Viscosity, dynamic : 10.500 mPa.s (20 °C)

Solubility(ies)  
Water solubility : completely miscible

Partition coefficient: n-octanol/water : no data available

Vapour pressure : 23 hPa (20 °C)

Density : 1,08 g/cm<sup>3</sup>

Relative vapour density : is not determined

#### 9.2 Other information

Explosives : Not explosive

Evaporation rate : is not determined

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No further relevant information available.

### 10.2 Chemical stability

The product is chemically stable.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : None known.



## SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

### Rakoll® LK 50

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	21.05.2022	100000018687	Date of first issue: 21.05.2022

---

#### 10.4 Conditions to avoid

Conditions to avoid : No further relevant information available.

#### 10.5 Incompatible materials

Materials to avoid : No further relevant information available.

#### 10.6 Hazardous decomposition products

No hazardous decomposition products are known.

---

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

##### Product:

Acute oral toxicity : Based on available data, the classification criteria are not met.

Acute toxicity estimate: > 2.000 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Based on available data, the classification criteria are not met.

Acute dermal toxicity : Based on available data, the classification criteria are not met.

##### Components:

##### **ethane-1,2-diol:**

Acute oral toxicity : LD50 Oral (Rat): 4.000 mg/kg

##### **butyl glycollate:**

Acute oral toxicity : LD50 Oral (Rat): 4.240 mg/kg

### 11.2 Information on other hazards

#### Endocrine disrupting properties

##### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

### Rakoll® LK 50

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	21.05.2022	100000018687	Date of first issue: 21.05.2022

---

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Components:

##### **2-(2-butoxyethoxy)ethyl acetate:**

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): 50 - 70 mg/l  
Exposure time: 96 h  
Test Type: static test

##### **docusate sodium:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 20 - 40 mg/l  
Exposure time: 96 h  
Test Type: semi-static test

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 36 mg/l  
Exposure time: 48 h  
Test Type: static test

##### **5-Chloro-2-methyl-3(2H)isothiazolone mixt. with 2-Methyl-3(2H)isothiazolone:**

M-Factor (Acute aquatic toxicity) : 100

M-Factor (Chronic aquatic toxicity) : 100

### 12.2 Persistence and degradability

No data available

### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

#### Product:

Mobility : Medium: Soil  
Remarks: Do not allow product to reach ground water, water bodies or sewage system., Danger to drinking water if even extremely small quantities leak into soil., Very toxic to aquatic organisms, Toxic effects on fish and plankton

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered

## SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

### Rakoll® LK 50

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	21.05.2022	100000018687	Date of first issue: 21.05.2022

---

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### 12.6 Endocrine disrupting properties

**Product:**

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### 12.7 Other adverse effects

No data available

---

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

Product : Do not dispose of with domestic refuse.  
Do not dispose of waste into sewer.  
The generation of waste should be avoided or minimized wherever possible.  
Disposal must be made according to official regulations.  
Hand over to disposers of hazardous waste.  
Incineration under approved, controlled conditions using incinerators suitable or designed for the disposal of hazardous chemical wastes, is the preferred method for disposal.

Contaminated packaging : Recommended cleaning agent: Water, if necessary with cleaning agent.

---

### SECTION 14: Transport information

#### 14.1 UN number or ID number

Not regulated as a dangerous good

#### 14.2 UN proper shipping name

Not regulated as a dangerous good

#### 14.3 Transport hazard class(es)

Not regulated as a dangerous good

#### 14.4 Packing group

Not regulated as a dangerous good

---

## SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

### Rakoll® LK 50

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	21.05.2022	100000018687	Date of first issue: 21.05.2022

---

#### 14.5 Environmental hazards

Not regulated as a dangerous good

#### 14.6 Special precautions for user

Not applicable

#### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

---

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered:  
Number on list 3

methanol (Number on list 69)  
acetic acid

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : not applicable

RoHS: 2011/65/EU, Restriction of Hazardous Substances : not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : not applicable

REACH - List of substances subject to authorisation (Annex XIV) : not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. : not applicable

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)  
Volatile organic compounds (VOC) content: 1,92 %, 20,7 g/l

## SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

### Rakoll® LK 50

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	21.05.2022	100000018687	Date of first issue: 21.05.2022

---

#### Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

#### The components of this product are reported in the following inventories:

REACH : On the inventory, or in compliance with the inventory

#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture.

---

### SECTION 16: Other information

#### Full text of H-Statements

H301	: Toxic if swallowed.
H302	: Harmful if swallowed.
H310	: Fatal in contact with skin.
H314	: Causes severe skin burns and eye damage.
H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H318	: Causes serious eye damage.
H330	: Fatal if inhaled.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.
H412	: Harmful to aquatic life with long lasting effects.
EUH071	: Corrosive to the respiratory tract.

#### Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Eye Dam.	: Serious eye damage
Skin Corr.	: Skin corrosion
Skin Irrit.	: Skin irritation
Skin Sens.	: Skin sensitisation
2000/39/EC	: Europe. Commission Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values
IE OEL	: Ireland. List of Chemical Agents and Occupational Exposure Limit Values - Schedule 1
2000/39/EC / TWA	: Limit Value - eight hours
2000/39/EC / STEL	: Short term exposure limit
IE OEL / OELV - 8 hrs (TWA)	: Occupational exposure limit value (8-hour reference period)
IE OEL / OELV - 15 min (STEL)	: Occupational exposure limit value (15-minute reference period)

## SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

### Rakoll® LK 50

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	21.05.2022	100000018687	Date of first issue: 21.05.2022

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### Further information

Other information : This safety datasheet only contains information relating to safety and does not replace any product information or product specification.

Contact Point : Prepared by: Global Regulatory Department  
EU-MSDS@hbfuller.com

#### Classification of the mixture:

Eye Dam. 1

H318

#### Classification procedure:

Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not

**SAFETY DATA SHEET**

according to Regulation (EC) No. 1907/2006

**Rakoll® LK 50**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	21.05.2022	100000018687	Date of first issue: 21.05.2022

---

to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

IE / EN