

Revision: 17.11.2023



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.11.2023

Version number 5 (replaces version 4)

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: REDOCOL MS-Polymer
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
  No further relevant information available.
- · Application of the substance / the mixture Adhesives
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Ostermann UK Ltd.

Stonebridge Cross Business Park

Unit 104 Pointon Way

Droitwich

WR9 0LW

United Kingdom

Phone (UK): +44 (0) 1905 793 550 Phone (Ireland): +44 (0) 1905 793 552

Fax: +44 (0) 1905 793 559

· Informing department:

**Customer Service** 

Phone: +49 (0) 2871 / 2550-0

· 1.4 Emergency telephone number:

Gift-Informationszentrum Nord, Göttingen Poison Information Center, Göttingen

Tel.: +49 (0)551 19240 (German and English only)

### SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008
   The product is not classified, according to the CLP regulation.
- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
  - · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Additional information:

Test results are available which prove that the product is not skin-sensitising.

- Labelling of packages where the contents do not exceed 125 ml
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
  - · **PBT**: Not applicable.
  - · vPvB: Not applicable.
- Determination of endocrine-disrupting properties

The product does not contain substances with endocrine disrupting properties.

IE

Printing date 17.11.2023 Version number 5 (replaces version 4) Revision: 17.11.2023

Trade name: REDOCOL MS-Polymer

(Contd. from page 1)

### SECTION 3: Composition/information on ingredients

#### · 3.2 Mixtures

· Description: Mixture of the substances listed below including additives not requiring identification.

· Dangerous components:		
CAS: 2768-02-7	trimethoxyvinylsilane	≥ 1 - ≤ 10%
EINECS: 220-449-8	♦ Flam. Liq. 3, H226; ♦ Acute Tox. 4, H332; Skin	
Index number: 014-049-00-0	Sens. 1B, H317	
Reg.nr.: 01-2119513215-52-X		
CAS: 13822-56-5	3-(trimethoxysilyl)propylamine	≥ 1 - < 3%
EINECS: 237-511-5	Eye Dam. 1, H318; 🗘 Skin Irrit. 2, H315	
Reg.nr.: 01-2119510159-45-X	Specific concentration limits:	
	Skin Irrit. 2; H315: C ≥10 %	
	Eye Irrit. 2; H319: C ≥ 3 %	

<sup>·</sup> Additional information For the wording of the listed hazard phrases refer to section 16.

#### SECTION 4: First aid measures

#### · 4.1 Description of first aid measures

#### · After inhalation

Take affected persons into the open air and position comfortably

In case of persistent symptoms consult doctor.

#### · After skin contact

Wash affected areas with plenty of water.

In case of permanent aches and pains please go and see the doctor.

Remove contaminated clothing immediately.

Wash contaminated clothing before re-use.

#### · After eye contact

Keep eye lids open and rinse them with ample amounts of clean running water for at least 15 minutes.

Remove contact lenses if possible.

Call a doctor immediately.

### · After swallowing

Rinse out mouth and then drink plenty of water.

Do NOT induce vomiting in order to prevent an invasion into the lungs.

Instantly call for doctor.

#### 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

- · After skin contact: Allergic reactions
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

#### Suitable extinguishing agents

The product itself does not burn.

Use fire fighting measures that suit the environment.

· For safety reasons unsuitable extinguishing agents None known.

#### · 5.2 Special hazards arising from the substance or mixture

Inhalation of combustion gases may cause serious health hazards.

During incomplete combustion carbon monoxide can be formed.

#### · 5.3 Advice for firefighters

· Protective equipment: Wear self-contained breathing apparatus.

(Contd. on page 3)

Printing date 17.11.2023 Version n

Version number 5 (replaces version 4)

Trade name: REDOCOL MS-Polymer

(Contd. from page 2)

Revision: 17.11.2023

· Additional information Remove goods in stock from incendiary zone, if possible.

#### SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures
Avoid contact to eyes, skin and clothes.

· 6.2 Environmental precautions:

Prevent material from reaching sewage system, holes and cellars.

Inform respective authorities in case product reaches water or sewage system.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

Dispose of contaminated material as waste according to section 13.

· 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

### SECTION 7: Handling and storage

### · 7.1 Precautions for safe handling

Ensure sufficient ventilation.

Avoid prolonged or repeated contact with skin.

· Information about protection against explosions and fires:

No special measures required.

Store it away from ignition sources or open fire.

- · 7.2 Conditions for safe storage, including any incompatibilities
  - Storage
  - Requirements to be met by storerooms and containers:

Store only undamaged original packaging drums.

Store in cool location.

Protect from frost.

- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed containers.

Protect from heat and direct sunlight.

Shelf life 12 months at 25 °C.

· 7.3 Specific end use(s) No further relevant information available.

## SECTION 8: Exposure controls/personal protection

#### · 8.1 Control parameters

· Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

be monitored at the workplace.		
· DNELs		
2768-02-7 trimethoxyvinylsilane		
DNEL (consumer, long-term, systemic)	0.63 mg/kg bw/day (human)	
DNEL (worker, long-term, systemic) 0.91 mg/kg bw/day (human)		
DNEL (consumer, long-term, systemic) 0.63 mg/kg bw/day (human)		
halative DNEL (worker, short-term, systemic) 73.6 mg/m³ (human)		
DNEL (worker, long-term, systemic)	27.6 mg/m³ (human)	
	trimethoxyvinylsilane  DNEL (consumer, long-term, systemic)  DNEL (worker, long-term, systemic)  DNEL (consumer, long-term, systemic)  DNEL (worker, short-term, systemic)	

(Contd. on page 4)

Printing date 17.11.2023 Version number 5 (replaces version 4) Revision: 17.11.2023

Trade name: REDOCOL MS-Polymer

				(Contd. from page 3)
	DNEL (consumer, short-term, systemi		54.4 mg/m³ (human)	
	DNEL (consumer, long-term	, systemic)	6.8 mg/m³ (human)	
13822-56-	5 3-(trimethoxysilyl)propyla	amine		
Dermal	DNEL (worker, long-term, sy	/stemic)	1 mg/kg bw/day (human)	
	DNEL (consumer, long-term	, systemic)	0.5 mg/kg bw/day (human)	
Inhalative	DNEL (worker, long-term, sy	/stemic)	7.1 mg/m³ (human)	
	DNEL (consumer, long-term		1.7 mg/m³ (human)	
· PNECs				
13822-56-5 3-(trimethoxysilyl)propylamine		amine		
PNEC aqu	a (freshwater)	0.5 mg/L (.)		
PNEC aqu	a (marine water)	0.05 mg/L (	.)	
PNEC STR	PNEC STP - Sewage Treatment Plant		.)	
PNEC soil		0.069 mg/ko	g soil dw (.)	
PNEC sediment (freshwater)		1.8 mg/kg s	edim. dw (.)	
PNEC aqu	a (intermittent releases)	2.05 mg/L (	.)	
PNEC oral	PNEC oral		food (.)	

· Additional information: The lists that were valid during the compilation were used as basis.

#### · 8.2 Exposure controls

- · Individual protection measures, such as personal protective equipment
  - General protective and hygienic measures

Do not eat, drink or smoke while working.

Keep away from foodstuffs, beverages and food.

Take off all contaminated clothing immediately.

Wash hands during breaks and at the end of the work.

- · Breathing equipment: Not necessary if room is well-ventilated.
- Hand protection

Protective gloves are recommended at frequent and/or long-term skin contact with the product. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Nitrile rubber, NBR

Chloroprene rubber, CR

#### Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

In case of a layer thickness of 0.33 mm the penetration time is longer than 480 minutes.

## Eye/face protection



Tightly sealed safety glasses.

· *Environmental exposure controls* Avoid the uncontrolled release into the environment.

- IE

Printing date 17.11.2023 Version number 5 (replaces version 4) Revision: 17.11.2023

Trade name: REDOCOL MS-Polymer

(Contd. from page 4)

## SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state Solid

· Colour: Different according to colour

Odour: Characteristic
 Odour threshold: Not determined.
 Melting point/freezing point: Not determined

· Boiling point or initial boiling point and

boiling range

• Flammability

• Flash point:

Not determined
Not applicable.
Not applicable

• Auto-ignition temperature: Product is not selfigniting.

Not miscible or difficult to mix

· **Decomposition temperature:** Not determined.

· SADT

· **pH** Not determined.

· Viscosity:

Kinematic viscosity dynamic: Solubility Not determined.

Water:

Partition coefficient n-octanol/water (log value)
 Not determined.

· Vapour pressure: Not determined.

· Density and/or relative density

Density at 20 °C
 Vapour density
 1.688 g/cm<sup>3</sup>
 Not applicable.

#### · 9.2 Other information

· Appearance:

· Form: Pasty

Important information on protection of health and environment, and on safety.

Self-inflammability: Product is not selfigniting.
 Explosive properties: Product is not explosive.
 VOC EU
 VOC EU
 ≥ 16.4 - < 57.4 g/l</li>
 ≥ 2 - < 7 %</li>

Void

· Change in condition

· Oxidising solids

· **Evaporation rate** Not determined.

## · Information with regard to physical hazard classes

0,40000	
· Explosives	Void
Flammable gases	Void
Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit	
flammable gases in contact with water	Void
· Oxidising liquids	Void

(Contd. on page 6)

Version number 5 (replaces version 4) Revision: 17.11.2023 Printing date 17.11.2023

Trade name: REDOCOL MS-Polymer

(Contd. from page 5)

		· · · · · · · · · · · · · · · · · · ·	
· Organic peroxides	Void		
Corrosive to metals	Void		
· Desensitised explosives	Void		

## SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: Strong acids and alkali
- 10.6 Hazardous decomposition products:

None in case of intended use and storage in compliance with instructions.

## SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC5	· LD/LC50 values that are relevant for classification:		
2768-02-7	2768-02-7 trimethoxyvinylsilane		
Oral	LD50	6,899 mg/kg (rat)	
Dermal	LD50	3,158 mg/kg (rabbit)	
Inhalative	LC50	16.8 mg/l/4h (rat) Vapour	
13822-56-	13822-56-5 3-(trimethoxysilyl)propylamine		
Oral	LD50	3,010 mg/kg (rat)	
Dermal	LD50	11,460 mg/kg (rabbit)	

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation

Test results are available which prove that the product is not skin-sensitising.

- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

## SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:		
2768-0	2-7 trimethoxyvinylsilane	
EC50	121 mg/l/48h (Daphnia magna)	
LC50	137 mg/l/96h (fish)	
		(Contd. on page 7)

Revision: 17.11.2023

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.11.2023

Version number 5 (replaces version 4)

Trade name: REDOCOL MS-Polymer

	(Contd. from page 6)		
EC50	0 > 64 mg/l/72h (Algae)		
NOEC	64 mg/l/72h (Algae)		
NOEC	20 mg/l/21d (Daphnia magna)		
13822-	56-5 3-(trimethoxysilyl)propylamine		
EC50	331 mg/l/48h (Daphnia magna)		
ErC50	> 1,000 mg/l /72h (Algae)		

- 12.2 Persistence and degradability No further relevant information available.
- · Other information: There are no data available about the preparation.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · **vPvB**: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

### SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

The waste code numbers mentioned are recommendations based on the probable use of the product.

· Europe	· European waste catalogue		
08 00 00 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFS OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS			
08 04 00	wastes from MFSU of adhesives and sealants (including waterproofing products)		
08 04 10	waste adhesives and sealants other than those mentioned in 08 04 09		

- · Uncleaned packagings:
  - Recommendation:

Dispose of packaging according to regulations on the disposal of packagings.

Packagings that cannot be cleaned are to be disposed of in the same manner as the product.

14.1 UN number or ID number		
· ADR/RID, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name		
· ADR/RID, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
· ADR/RID, ADN, IMDG, IATA		
· Class	Void	

(Contd. on page 8)

Printing date 17.11.2023 Version number 5 (replaces version 4) Revision: 17.11.2023

Trade name: REDOCOL MS-Polymer

	(Contd. from page 7)
· 14.4 Packing group · ADR/RID, IMDG, IATA	Void
· 14.5 Environmental hazards:	Not applicable.
· 14.6 Special precautions for user	Not applicable.
· 14.7 Maritime transport in bulk accord IMO instruments	<i>ing to</i> Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void

## SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- · Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

- · National regulations
- · Water hazard class:
- · Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients is contained.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This safety data sheet meets the requirements of Regulation (EU) 2015/830 and 2020/878 amending Annex II of Regulation (EC) 1907/2006.

· Relevant phrases

H226 Flammable liquid and vapour.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

(Contd. on page 9)

Printing date 17.11.2023

Version number 5 (replaces version 4)

Trade name: REDOCOL MS-Polymer

(Contd. from page 8)

Revision: 17.11.2023

H319 Causes serious eye irritation. H332 Harmful if inhaled.

· Department issuing data specification sheet:

DEKRA This Safety Data Sheet has been drawn up in cooperation with: DEKRA Assurance Services GmbH, Hanomagstr. 12, D-30449 Hanover, Germany, phone: (+49) 511 42079 - 0, reach@dekra.com.

© DEKRA Assurance Services GmbH. Changing this documents is subject to explicit acceptance by DEKRA Assurance Services GmbH.

· Version number of previous version: 4

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids - Category 3 Acute Tox. 4: Acute toxicity - Category 4 Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1B: Skin sensitisation – Category 1B