

Page 1/7

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 08.05.2023

Version number 4 (replaces version 3)

Revision: 08.05.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

- · Trade name: REDOCOL PUR Reiniger
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- Application of the substance / the mixture Cleaning agent/ Cleaner
- 1.3 Details of the supplier of the safety data sheet
 Manufacturer/Supplier: Ostermann UK Ltd. Stonebridge Cross Business Park Unit 104 Pointon Way Droitwich

WR9 0LW United Kingdom Phone (UK): +44 (0) 1905 793 550 Phone (Ireland): +44 (0) 1905 793 552 Fax: +44 (0) 1905 793 559

• Informing department: Customer Service: Phone: +49 (0) 2871 / 2550-0

 1.4 Emergency telephone number: Gift-Informationszentrum Nord, Göttingen Poison Information Center, Göttingen Tel.: +49 (0)551 19240 (German and English only)

SECTION 2: Hazards identification

• 2.1 Classification of the substance or mixture
 • Classification according to Regulation (EC) No 1272/2008
 The product is not classified, according to the GB CLP regulation.

· 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Additional information:
- Safety data sheet available on request.
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · **vPvB**: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
 - *Description:* Mixture of components not requiring labelling.

(Contd. on page 2)

Printing date 08.05.2023

Version number 4 (replaces version 3)

Revision: 08.05.2023

Trade name: REDOCOL PUR Reiniger

_		(Contd. from page
 Dangerous comp 	ponents:	
CAS: 108-05-4	vinyl acetate	≥ 0.1 - ≤ 1%
EINECS: 203-545-4	4 📀 Flam. Liq. 2, H225; 😵 Carc. 2, H351; 🗘 Acute Tox. 4,	,
	H332; STOT SÉ 3, H335	
· Additional inform	nation For the wording of the listed hazard phrases refer to	section 16.
SECTION 4: F	irst aid measures	
• 4.1 Description of	f <i>irst aid measures</i> t <i>ion</i> No special measures required.	
	Supply fresh air; consult doctor in case of symptoms.	
· After skin contac		
Wash with water a		
	ent aches and pains please go and see the doctor.	
After eye contac		
Rinse opened eye	for several minutes under running water. If symptoms pers	ist, consult doctor.
After swallowing	1	
Rinse out mouth a	and then drink plenty of water.	
Do not induce von		
	ent symptoms consult doctor.	
	t symptoms and effects, both acute and delayed	
	information available.	
	ny immediate medical attention and special treatment n	leeded
No further relevant	information available.	
SECTION 5. E	irefighting measures	
02011011 3.1	inclighting incusures	
Ed Endin milable in	media	
• 5. I EXTINGUISHING	ishing agents Use fire fighting measures that suit the enviro	onment.
	Sing agents use me nynting measures that suit the enviro	
· Suitable extingu	ns unsuitable extinguishing agents Water with a full wate	er jet.
 For safety reason 	ns unsuitable extinguishing agents Water with a full wate	er jet.
 Suitable extingut For safety reason 5.2 Special hazard 	ns unsuitable extinguishing agents Water with a full wate af arising from the substance or mixture gases is possible during heating or in case of fire.	er jet.
 Suitable extingut For safety reason 5.2 Special hazard 	ns unsuitable extinguishing agents Water with a full wate Is arising from the substance or mixture gases is possible during heating or in case of fire.	r jet.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- · 6.2 Environmental precautions: Do not allow to enter drainage system, surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Allow to solidify. Collect mechanically.
- Dispose of contaminated material as waste according to section 13.
- 6.4 Reference to other sections See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
 • Information about protection against explosions and fires: No special measures required.

(Contd. on page 3)

Printing date 08.05.2023

Version number 4 (replaces version 3)

Revision: 08.05.2023

Trade name: REDOCOL PUR Reiniger

(Contd. from page 2)

- 7.2 Conditions for safe storage, including any incompatibilities • Storage
 - Requirements to be met by storerooms and containers: No special requirements.
 - · Information about storage in one common storage facility: Not required.
 - · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

 Components with limit values that require monitoring at the workplace: 					
108-05-4 vinyl acetate					
WEL (Great Britain)	Short-term value: 35.2 mg/m ³ , 10 ppm Long-term value: 17.6 mg/m ³ , 5 ppm				
IOELV (European Union)	Short-term value: 35.2 mg/m ³ , 10 ppm Long-term value: 17.6 mg/m ³ , 5 ppm				

OEL (Ireland)

Short-term value: 35.2 mg/m³, 10 ppm Long-term value: 17.6 mg/m³, 5 ppm IOELV

• Additional information: The lists that were valid during the compilation were used as basis.

· 8.2 Exposure controls

• Individual protection measures, such as personal protective equipment • General protective and hygienic measures

Do not eat, drink or smoke while working.

Wash hands during breaks and at the end of the work.

Ensure good ventilation/exhaustion at the workplace.

· Breathing equipment:

Not necessary if room is well-ventilated.

Use breathing protection in case of insufficient ventilation.

Filter P1. • *Hand protection*

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• For the permanent contact gloves made of the following materials are suitable: Chloroprene rubber, CR

Natural rubber, NR

In case of a layer thickness of 1 mm the penetration time is longer than 480 minutes.

(Contd. on page 4)

Printing date 08.05.2023

Version number 4 (replaces version 3)

Revision: 08.05.2023

(Contd. from page 3)

Trade name: REDOCOL PUR Reiniger

· Eye/face protection



Tightly sealed safety glasses.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemi	cal properties		
 General Information 			
· Colour:	Light blue		
· Odour:	odourless		
· Odour threshold:	Not determined.		
· Melting point/freezing point:	70 °C		
• Boiling point or initial boiling point and	0.40, 000,00		
boiling range	340 - 390 °C		
· Flammability	Not determined.		
 Lower and upper explosion limit 			
· Lower:	Not determined.		
· Upper:	Not determined.		
· Flash point:	186 °C		
Decomposition temperature:	Not determined.		
· SADT			
· pH	Not applicable.		
· Viscosity:	Nataraliashla		
· Kinematic viscosity	Not applicable.		
· dynamic at 130 °C:	5500 - 7500 mPas (Brookfield)		
· Solubility			
· Water:	Insoluble		
 Partition coefficient n-octanol/water (log 			
value)	Not determined.		
· Vapour pressure at 20 °C:	< 0.001 hPa		
· Density and/or relative density			
· Density at 20 °C	0.94 - 0.97 g/cm³		
· Relative density	Not determined.		
· Vapour density	Not applicable.		
· 9.2 Other information			
· Appearance:			
· Form:	Granulate		
 Important information on protection of 			
health and environment, and on safety.			
· Self-inflammability:	Product is not selfigniting.		
• Explosive properties:	Product is not explosive.		
· VOC EU	0 %		
	0 /0		
Change in condition	Natappliaphia		
· Evaporation rate	Not applicable.		
 Information with regard to physical hazard 			
classes			
· Explosives	Void		
· Flammable gases	Void		
· Aerosols	Void		
· Oxidising gases	Void		
· Gases under pressure	Void		
· Flammable liquids	Void		
	(Contd. on page 5)		
	G		

Printing date 08.05.2023

Version number 4 (replaces version 3)

Revision: 08.05.2023

Trade name: REDOCOL PUR Reiniger

		(Contd. from page 4
· Flammable solids	Void	
 Self-reactive substances and mixtures 	Void	
· Pyrophoric liquids	Void	
· Pyrophoric solids	Void	
· Self-heating substances and mixtures	Void	
· Substances and mixtures, which emit		
flammable gases in contact with water	Void	
· Oxidising liquids	Void	
Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
· Desensitised explosives	Void	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

· Thermal decomposition / conditions to be avoided:

- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: Above 200°C forms ethanoic acid

SECTION 11: Toxicological information

• 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 • Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:

108-05-4 vinyl acetate

Oral LD50 2,920 mg/kg (rat)

Dermal LD50 2,335 mg/kg (rabbit)

• Skin corrosion/irritation Based on available data, the classification criteria are not met.

- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

· 11.2 Information on other hazards

• Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- Other information: There are no data available about the preparation.
- 12.3 Bioaccumulative potential No further relevant information available.

(Contd. on page 6)

GB

Printing date 08.05.2023

Version number 4 (replaces version 3)

Revision: 08.05.2023

(Contd. from page 5)

Trade name: REDOCOL PUR Reiniger

• 12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· vPvB: Not applicable.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

· 12.7 Other adverse effects

· Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation Must be specially treated under adherence to official regulations.

· European waste catalogue

08 00 00 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS

08 04 00 wastes from MFSU of adhesives and sealants (including waterproofing products)

08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

· Uncleaned packagings:

Recommendation:

Dispose of packaging according to regulations on the disposal of packagings.

Non contaminated packagings can be used for recycling.

Packagings that cannot be cleaned are to be disposed of in the same manner as the product.

111 LINI number of ID number	
14.1 UN number or ID number • ADR/RID, IMDG, IATA	Void
· · ·	Void
14.2 UN proper shipping name	
· ADR/RID, IMDG, IATA	Void
14.3 Transport hazard class(es)	
· ADR/RID, ADN, IMDG, IATA	
· Class	Void
14.4 Packing group	
· ADR/RID, IMDG, IATA	Void
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk accordin	a to
IMO instruments	Not applicable.
· Transport/Additional information:	Not dangerous according to the above
	specifications.
· UN "Model Regulation":	Void

(Contd. on page 7)

Printing date 08.05.2023

Version number 4 (replaces version 3)

Revision: 08.05.2023

Trade name: REDOCOL PUR Reiniger

(Contd. from page 6)

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
 - Chemical safety assessment
 - Named dangerous substances ANNEX I None of the ingredients is listed.
 - · REGULATION (EU) 2019/1148
 - Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· National regulations

• Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water. • 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H225 Highly flammable liquid and vapour. H332 Harmful if inhaled. H335 May cause respiratory irritation. H351 Suspected of causing cancer.

· Department issuing data specification sheet:

DEKRA This Safety Data Sheet has been drawn up in cooperation with: DEKRA Assurance Services GmbH, Hanomagstr. 12, D-30449 Hanover, Germany, phone: (+49) 511 42079 - 0, reach@dekra.com.

© DEKRA Assurance Services GmbH. Changing this documents is subject to explicit acceptance by DEKRA Assurance Services GmbH.

Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids - Category 2 Acute Tox. 4: Acute toxicity – Category 4 Carc. 2: Carcinogenicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 Sources

The basis for the preparation of this safety data sheet are the information provided by the distributor.

• * Data compared to the previous version altered.