

TECHNICAL DATA SHEET

Page 1 of 2 Last updated 07/10/2019

Isa-Verdünner 1

| Type of Product | Solvent. |
|-----------------|----------|
| Type of Floudet | Joivent. |

Product Characteristics Diluent and cleaning agent.

Typical Applications Diluent and cleaning agent for solvent based adhesives, especially

Polyurethane solvent-based adhesives and cleaner for devices, which

are dirty with the adhesive type mentioned above.

Cleaning agent for substrates like PVC, PU, etc., to improve adhesion.

Suitable substrates Not applicable.

Typical Properties

| Property | Value |
|-----------------|-------------------------------|
| Base | organic solvent mixture |
| Colour | colourless |
| Density at 20°C | approx. 0,9 g/cm ³ |
| Shelf life | 12 months |



TECHNICAL DATA SHEET

Page 2 of 2 Isa-Verdünner 1

Application Instructions

The application onto dirty parts can take place by means of brushes, cloth or spraying.

Already after short impact time the impurities can be removed easily. Nozzles and small parts should be cleaned by putting into a well locked metal container filled with cleaner.

Larger surfaces can be cleaned with a soaked cloth.

Cleaning Instructions

Please contact your local Sales Office for available cleaning solutions.

Typical Packaging

Please contact your local Sales Office for available packaging options.

Storage Conditions

In original sealed packaging protected from sun, dust, moisture and high temperatures. Clean and dry conditions above -25°C and below +35°C.

Disposal Advice

Please refer to the MSDS for disposal instructions.

Safety Advice

Please refer to the MSDS for safety advice.

IMPORTANT: Information, specifications, procedures and recommendations provided ("information") are based on our experience, and we believe this information to be accurate. No representation, guarantee or warranty is made as to the accuracy or completeness of the information or that use of the product will avoid losses or damages or give desired results. It is purchaser's sole responsibility to test and determine the suitability of any product for the intended use. Tests should be repeated if materials or conditions change in any way. No employee, distributor or agent has any right to change these facts and offer a guarantee of performance.



® and ™ are trademarks of H.B. Fuller Company ("H.B. Fuller") or one of its affiliated entities.

NOTE TO USER: by ordering/receiving product, you accept the H.B. Fuller General Terms and Conditions of Sale applicable in the region. Please request a copy if you have not received this documentation. These Terms and Conditions contain disclaimers of implied warranties (including but not limited to disclaiming warranties of fitness for a particular purpose) and limits of liability. All other terms are rejected. In any event, (1) the total aggregate liability of H.B. Fuller for any claim or series of related claims, however arising, in contract, tort (including negligence), breach of statutory duty, misrepresentation, strict liability, or otherwise, is limited to replacement of affected products or refund of the purchase price for affected products. (2) H.B. Fuller shall not be liable for loss of profit, loss of margin, loss of contract, loss of business, loss of goodwill, or any indirect or consequential losses arising out of or in connection with product supply. (3) Nothing in any term shall operate to exclude or limit H.B. Fuller's liability for fraud, gross negligence, death, or personal injury caused by negligence, or for breach of any mandatory implied terms unless permitted by law.

H.B. Fuller www.hbfuller.com

©H.B. Fuller Company